



© Tecnogas reserves the right to modify the design, features and specifications without prior notice.

The images are only representative of the product



| www.tecnogas.it |

info@tecnosuperiore.it

TECNOSUPERIORE S.r.l. Strada Provinciale 63R 111, 42044 Gualtieri (RE)

Catalogue

| General

| 2025

004 | 70 YEARS OF ITALIAN HISTORY


018 | DESIGN LINES

024 | FREE-STANDING GAS COOKERS

052 | HOBS

070 | OVENS

088 | TECHNICAL INFORMATION



 **Tecnogas**

70 YEARS OF ITALIAN HISTORY

LA NOSTRA STORIA

The brothers Gianni and Giorgio Contini take over a business from Archimede Re and Benvenuto Bertazzoni at the location of the horse-drawn wagon transporter Artoni in the hamlet of Baccanello di Guastalla. They begin making cabinets for LPG cylinders together with five workers: Amilcare Alessandri, Ulderico Aldrovandi, Bruno Pavesi, Delio Portioli and Gianfranco Re. The small company takes on the name "G&G Fr.Lli Contini".



THE BEGINNING
1952



The company transfers to its new headquarters in Gualtieri: a modern industrial structure for its now forty strong workforce. New cookers given female names are launched: "Stefy", "Giuly", "Lady". The Tecnogas brand name is officially established and the first orders from abroad begin to come in. The new catalogues, also printed in French and English, are published with the undisputed icon on the 1960's on the cover: Twiggys.

THE TECNOGAS
BRAND IS CREATED
1960

The innovative gas and mixed electric-gas hob that is only 3 cm high is presented and the Paris Trade Fair and becomes the standard for the sector. The iconic advertisement where the Tecnogas "Slim Line" has the same thickness as a bean is launched.



PARIS TRADE
FAIR - SLIM LINE
1979

THE COMPANY
IS RELINQUISHED
1990

1953
THE "MOBILFORNELLO"



The cooking appliance, integrating the stove and the LPG cylinder compartment into one single piece, called the "Mobilfornello", is designed and created by the Contini brothers. This innovation is the very first gas stove designed to be a piece of furniture.

1969
WE APPEAR
IN "EPOCA"

The company transfers to its new headquarters in Gualtieri: a modern industrial structure for its now forty strong workforce. New cookers given female names are launched: "Stefy", "Giuly", "Lady". The Tecnogas brand name is officially established and the first orders from abroad begin to come in. The new catalogues, also printed in French and English, are published with the undisputed icon on the 1960's on the cover: Twiggys.



1982
PRODUCTION OF
FREE-STANDING
COOKERS

The first built-in oven creating a complete unit with the hob is launched. The process initiated in the 1950's is completed, which was to develop a completely free-standing cooker that can be freely positioned anywhere since it doesn't require any accessories or retaining devices.



70 YEARS OF ITALIAN HISTORY

LA NOSTRA STORIA

The "Sorriso" line, meaning smile, inspiring safety and comfort is released. The company boasts high technology and the production lines are renovated by means of automation.



THE "SORRISO" LINE
1995

TEAM LINE
2000

The market in the United States expands with the "Superiore" brand name.



THE UNITED STATES MARKET
2014

Successfully developed and launched a new range of cooking products, strategically designed to meet the evolving needs and preferences of our expanding customer base.



SAVOR THE INNOVATION
2022

1992
TOP LINE

1997
ANTONIO MERLONI

2011
THE COMPANY IS RELINQUISHED

2019
TECNOSUPERIORE GROUP



After obtaining EN 29001 certification in 1994 and ISO 9001 certification in 1996, Tecnogas is taken over by the Antonio Merloni group from Fabriano. With a production output of approximately 300,000 pieces/year, Tecnogas sells 30% of its products in Italy while the remaining portion is exported throughout the world with its brand names as well as personalised brand names.



The Tecnosuperiore Group is established, which manages the Tecnogas, Superiore, Ardesia and Smalvic brand names.



70 YEARS OF ITALIAN HISTORY

Anyone who attempts, wins

“Chi lavóra,
la vènzà”



Made in
Gualtieri
Since 1952

You only live once

**“Si vive una
volta sola”**










PRO SERIES

PRO SERIES is where professional performance meets timeless luxury. Designed for those who demand excellence, this line includes advanced engineered with top-tier materials, refined finishes, and technical features that elevate both cooking and kitchen design.





 **Tecnogas**
NEXT SERIES

NEXT SERIES

THE NEXT SERIES brings accessible luxury to life. Built with the high passion for quality, it offers stylish, practical, and efficient appliances tailored for modern living. With elegant design and thoughtful functionality, it's ideal for those who value beauty, reliability, and intelligent simplicity.





We are used to crafting
our dreams

“Siamo abituati
a creare
i nostri sogni”

 **Tecnogas**
THE TECNOGAS WAY

FREE-STANDING

Solidity, refined design, wide range of dimensions and aesthetics. This is the strength of Tecnogas kitchens.



FREE STANDING | KEY FEATURES

FULL GLASS DOOR & EASY REMOVABLE GLASS

All models are equipped with a multi-glass door, with up to three layers of glass. The internal and intermediate layers are heat-reflective, ensuring lower external door temperatures (up to 20°C less than previous models) and reduced heat loss.



SCL HINGES

Designed to prevent children from injuring their fingers in case they place them near the hinges while opening or closing the door.



CLOSED DOOR GRILLING

"One of the biggest grilling surfaces on the market : 8,7 dm3
-Gas oven with electric grill
-Grill with automatic thermostat (keeps the temperature constant)
-Grill with closed door (no need to use uncomfortable and dangerous protective shields)"



BRASS BURNERS

The cookers of the PRO line are equipped with brass burners that guarantee great efficiency and uniform heating of the pan. The double crown wok burner is powerful and versatile at the same time thanks to different adjustments.

FULL GLASS DOOR

ANTI-ACID
ENAMEL AA CLASS



SCL HINGES

FREE STANDING | OVERVIEW

120X60CM



PRO SERIES | TCP112GG6WX
FULL GAS OVEN

Stainless steel



NEXT SERIES | TCN112E8G5WGRX
FULL ELECTRIC OVEN

Stainless steel

90X60CM



PRO SERIES | TCP19DE8G5WX
FULL GAS OVEN / FULL KNOB AVAILABLE

Stainless steel



PRO SERIES | TCP19GG5WX
FULL GAS OVEN / FULL KNOB AVAILABLE

Stainless steel



NEXT SERIES | TCN29E10G5WX
FULL ELECTRIC OVEN

Stainless steel



NEXT SERIES | TCN29GG5WX
FULL GAS OVEN

Stainless steel



NEXT SERIES | TCN117GG5WX
FULL GAS OVEN

Stainless steel

FREE STANDING | OVERVIEW

90X60CM



DECO SERIES | TCD19E95WCX
FULL ELECTRIC OVEN

Stainless steel



DECO SERIES | TCD19E95WCB
FULL ELECTRIC OVEN

Matt Black



DECO SERIES | TCD19E95WCC
FULL ELECTRIC OVEN

Matt Cream



PRO SERIES | TCP16DE6G4WX
FULL ELECTRIC OVEN

Stainless steel



PRO SERIES | TCP16MG4WX
MIXED OVEN

Stainless steel



NEXT SERIES | TCN26E6G4WX
MULTIFUNCTION

Stainless steel



NEXT SERIES | TCN26MG4WX
MIXED OVEN

Stainless steel



NEXT SERIES | TCN26GG4WX
FULL GAS OVEN

Stainless steel




TCP112GG6WX
GAS OVEN | 120x60cm

- Style : PRO
- Analog thermometer
- Gas oven with gas grill
- Oven capacity: 200 lt
- Easy Removable Glass / 2
- Easy to Clean enamel
- Roasting Spit
- 6 Gas brass burners(Wok 2/3.9 kW-Aux 2/1 kW-Rapid 2/3.1 kW)
- Tangential cooling fan
- 2 Halogen Lamp
- Convection fan

Available Colors : Stainless steel

Energy Rate : A



FREE STANDING | PRO SERIES



TCP19DE8G5WX
ELECTRIC OVEN | 90x60cm

- Style :PRO

LCD digital programmer

Interior with easy to clean enamel

2 halogen lamps

Meat probe sensor

Kick plate (Optional)

Easy Removable Glass - 3

2 Convection fans

Tangential cooling fan

Full glass inner door

XL Oven capacity – 138 Lit

Soft closing hinges
- 5 gas burners, High Efficiency, Brass:

-Wok 1/3.9 kW-Aux 1/1 kW

-Semi-rapid 2/1.8 kW

-Rapid 1/2.9 kW

Cooling fan



Available Colors : Stainless steel

Energy Rate : A



TCP19GG5WX
GAS OVEN | 90x60cm

- Style :PRO

Tangential cooling fan

Interior with easy to clean enamel

2 halogen lamps

Easy Removable Glass - 3

2 Convection fans

LED digital programmer with touch controls

XL Oven capacity – 138 Lit

Soft closing hinges



5 gas burners, High Efficiency, Brass:

-Wok 1/3.9 kW-Aux 1/1 kW

-Semi-rapid 2/1.8 kW-Rapid 1/2.9 kW-Roasting Spit

Available Colors : Stainless steel

Energy Rate : A



TCP29E10G5WX
FULL KNOB
AVAILABLE



TCP29GG5WX
FULL KNOB
AVAILABLE



TCP16DE6G4WX
ELECTRIC OVEN | 60X60cm

Style :PRO
LCD digital programmer
Interior with easy to clean enamel
1 convection fan
Oven capacity – 72 lt
Easy Removable Glass - 3
1 halogen lamp
Tangential cooling fan
4 gas burners, High Efficiency, Brass:
-Wok 1/3.5 kW-Aux 1/1 kW
-Semi-rapid 2/1.8 kW



Available Colors : Stainless steel

Energy Rate : A



TCP16MG4WX
GAS & ELECTRIC OVEN | 60x60cm

Style :PRO
Squared cooktop
Cast iron pan supports
Analogic thermometer
Interior with easy to clean enamel
1 convection fans
Oven capacity – 72 lt
1 halogen lamp
Easy Removable Glass - 3
Soft closing hinges

Tangential cooling fan
4 gas burners, High Efficiency, Brass:
-Wok 1/3.5 kW-Aux 1/1 kW
-Semi-rapid 2/1.8 kW



Available Colors : Stainless steel

Energy Rate : A



TCN112E8G5WGRX
ELECTRIC OVEN | 120x60cm

- Style :NEXT
- Digital thermometer
- Multifunction oven
- Auxiliary oven capacity: 42lt
- Main oven capacity: 100 lt
- Easy Removable Glass - 3
- Tangential cooling fan
- 5 Gas brass burners:
 - Wok 1/4.5 kW-Aux 1/1 kW
 - Semi-rapid 2/1.8 kW-Rapid 1/3.1 kW




Available Colors : Stainless steel

Energy Rate : A



TCN117GG5WX
GAS OVEN | 90X60cm

- Style :NEXT
- Squared cooktop
- Cast iron pan supports
- Digital thermometer
- Cast iron electric griddle
- 4 convection fans
- Oven capacity: 170 lt
- Full glass inner door
- 3 glasses
- Turnspit
- 5 Gas brass burners(1 5.0 kW wok burner)
- Tangential cooling fan



Available Colors : Stainless steel

Energy Rate : A

FREE STANDING | NEXT SERIES



TCN29E10G5WX
ELECTRIC OVEN | 90x60cm

- Style :NEXT
- Mechanical timer
- XL Oven cavity – 138 Lit
- Interior with easy to clean enamel
- 2 convection fans
- 2 halogen lamps
- Easy Removable Glass - 3
- Soft closing hinges
- Tangential cooling fan

- 5 gas burners, High Efficiency:
- Wok 1/3.9 kW-Aux 1/1 kW
 - Semi-rapid 2/1.8 kW-Rapid 1/2.9 kW



Available Colors : Stainless steel

Energy Rate : A





TCN29GG5WX
GAS OVEN | 90X60cm

- Style :NEXT
- Mechanical timer
- XL Oven cavity – 138 Lit
- Interior with easy to clean enamel
- 2 convection fans
- 2 halogen lamps
- 1 Turnspit
- Easy Removable Glass - 3
- Soft closing hinges
- Tangential cooling fan


- 5 gas burners, High Efficiency:
- Wok 1/3.9 kW-Aux 1/1 kW
 - Semi-rapid 2/1.8 kW-Rapid 1/2.9 kW

Available Colors : Stainless steel

Energy Rate : A



FREE STANDING | NEXT SERIES



TCN26E6G4WX


ELECTRIC OVEN | 60x60cm

- | | |
|--|---------------------------------|
| Style :NEXT | 4 gas burners, High Efficiency: |
| Squared cooktop | -Wok 1/3.5 kW-Aux 1/1 kW |
| Cast iron pan supports | -Semi-rapid 2/1.8 kW |
| 6 Functions | Soft Hinge |
| Cut off timer 120' | |
| Oven capacity – 72 lt | |
| Interior with easy to clean enamel | |
| 1 convection fans | |
| 1 halogen lamps | |
| Easy Removable Glass - 3 | |
| Internal removable glass for easy cleaning | |
| Tangential cooling fan | |



Available Colors : Stainless steel

Energy Rate : A




TCN26GG4WX

GAS OVEN | 60x60cm

- | | |
|--|---------------------------------|
| Style :NEXT | Roasting Spit |
| Squared cooktop | 4 gas burners, High Efficiency: |
| Cast iron pan supports | -Wok 1/3.5 kW-Aux 1/1 kW |
| Mechanical timer | -Semi-rapid 2/1.8 kW |
| Oven capacity – 72 lt | |
| Interior with easy to clean enamel | |
| 1 Convection fan | |
| 1 halogen lamps | |
| Easy Removable Glass - 3 | |
| Internal removable glass for easy cleaning | |
| Tangential cooling fan | |
| Soft Hinge | |

Available Colors : Stainless steel

Energy Rate : A



TCN26MG4WX

GAS & ELECTRIC OVEN | 60x60cm

- | | |
|--|---------------------------------|
| Style :NEXT | 4 gas burners, High Efficiency: |
| Squared cooktop | -Wok 1/3.5 kW-Aux 1/1 kW |
| Cast iron pan supports | -Semi-rapid 2/1.8 kW |
| Mechanical timer | Soft Hinge |
| Oven capacity – 72 lt | |
| Interior with easy to clean enamel | |
| Static (Without convection fan) | |
| 1 halogen lamps | |
| Easy Removable Glass - 3 | |
| Internal removable glass for easy cleaning | |
| Tangential cooling fan | |

Available Colors : Stainless steel

Energy Rate : A



TCD19E95WCX
ELECTRIC OVEN | 90x60cm

- Style :DECO
- Analogic thermometer
- XL Oven cavity – 138 Lit
- Interior with easy to clean enamel
- 2 convection fans
- 2 halogen lamps
- Easy Removable Glass - 3
- Internal removable glass for easy cleaning

5 gas burners, High Efficiency:

- Wok 1/3.9 kW-Aux 1/1 kW
- Semi-rapid 2/1.8 kW
- Rapid 1/2.9 kW



Available Colors : Stainless steel

Energy Rate : A



TCD19E95WCB
ELECTRIC OVEN | 90X60cm

- Style :DECO
- Analogic thermometer
- XL Oven cavity – 138 Lit
- Interior with easy to clean enamel
- 2 convection fans
- 2 halogen lamps
- Easy Removable Glass - 3
- Internal removable glass for easy cleaning

5 gas burners, High Efficiency:

- Wok 1/3.9 kW-Aux 1/1 kW
- Semi-rapid 2/1.8 kW
- Rapid 1/2.9 kW



Available Colors : Matt Black

Energy Rate : A

FREE STANDING | DECO SERIES



TCD19E95WCC
ELECTRIC OVEN | 90x60cm

- Style :DECO

Analogic thermometer

XL Oven cavity – 138 Lit

Interior with easy to clean enamel

2 convection fans

2 halogen lamps

Easy Removable Glass - 3

Internal removable glass for easy cleaning

5 gas burners, High Efficiency, Brass:
- Soft closing hinges

Tangential cooling fan
- Wok 1/3.9 kW-Aux 1/1 kW

-Semi-rapid 2/1.8 kW

-Rapid 1/2.9 kW



Available Colors : Cream

Energy Rate : A



We evolved beauty into
“strong design”

**Abbiamo evoluto
la bellezza
in “strong design”**

OVEN

Elegant and functional, perfect for inclusion in kitchens built to last.



TELESCOPIC RAIL

These models are equipped with telescopic guides that favor a better distribution of space and make it easier to extract the grids and trays. It is possible to use them with a weight of up to 15 kg , It is also possible to wash them in the dishwasher.



SLIDING GLASS IN THE OVEN
(INTERIOR AND MIDDLE GLASS)

After cooking in the oven, the interior glass of the oven usually becomes dirty. In this oven, the interior glass is designed to slide, allowing easy cleaning of both the interior and exterior glass.

ENAMEL ETC (EASY TO CLEAN)

The ETC enamel offers the following advantages over conventional enamel:

- Easier cleaning and maintenance
- Enhanced beauty and shine
- Greater resistance to abrasion
- Prevents the buildup of pollutants on the oven compartment surface
- Reduces the accumulation of dirt on surfaces, making the surface easier to clean
- Increased efficiency and reduced damage from enamel wear

MORE COOKING SPACE

Larger internal capacity to cook multiple dishes at once — ideal for big families or when hosting guests.

Easily accommodates big items like large roasts or multiple trays of cookies — without crowding.

Prepare meals in bulk to save time during the week — perfect for meal preppers or busy households*.

OVEN | OVERVIEW

90X60CM



NEXT SERIES | FN2K96E9X
FULL ELECTRIC OVEN / FULL GAS AVAILABLE
Stainless steel



NEXT SERIES | FN3K96E9X
FULL ELECTRIC OVEN / FULL GAS AVAILABLE
Stainless steel

60X60CM



NEXT SERIES | FN2K66E9X/2
FULL ELECTRIC OVEN
Stainless steel



NEXT SERIES | FN3K66E5X/2
FULL ELECTRIC OVEN
Stainless steel



NEXT SERIES | FN2K66E9TB/2
FULL ELECTRIC OVEN
Matt Black



NEXT SERIES | FN3K66E9TB/2
FULL ELECTRIC OVEN
Matt Black



NEXT SERIES | FN66FTE10TB/2
FULL ELECTRIC OVEN
Total Black

60X35CM




NEXT SERIES | FN2K36E4X
FULL ELECTRIC OVEN
Stainless steel

45X60CM



NEXT SERIES | FN2K45E5X/2
FULL ELECTRIC OVEN
Stainless steel



FN2K96E9X
FULL ELECTRIC OVEN | 90x60cm

- Style :NEXT
- Electric Multifunction
- 9 cooking functions
- 2 convection fans
- Oven capacity – 125 lt
- Interior with Easy to Clean enamel
- Halogen lamps - 2
- Easy Removable Glass - 2
- Cooling fan
- 2 Wire Shelves
- Touch control: with delayed start and duration of cooking




Available Colors : Stainless steel

Energy Rate : A



FN2K96G5X
FULL GAS
AVAILABLE



FN3K96E9X
FULL ELECTRIC OVEN | 90x60cm

- Style :NEXT
- Electric Multifunction
- 9 cooking functions
- Oven capacity – 125 lt
- Interior with Easy to Clean enamel
- Halogen lamps - 2
- Full glass inner door
- Easy Removable Glass - 2
- Cooling fan
- 2 Convection fans
- 2 Wire Shelves




Available Colors : Stainless steel

Energy Rate : A



FN3K96G5X
FULL GAS
AVAILABLE




FN2K66E9X/2
FULL ELECTRIC OVEN | 60x60cm

- Style :NEXT
- Electric Multifunction
- 9 cooking functions
- 1 convection fan
- Oven capacity – 74 lt
- Interior with Easy to Clean enamel
- Halogen lamp
- Easy Removable Glass - 3
- Internal removable glass for easy cleaning
- Cooling fan
- 2 Wire Shelves



Available Colors : Stainless steel

Energy Rate : A




FN3K66E5X/2
FULL ELECTRIC OVEN | 60x60cm

- Style :NEXT
- Mechanic minute minder
- 5 cooking functions
- Full electric convection oven
- 1 convection fan
- Oven capacity- 64 lt
- Interior with Easy to Clean enamel
- Halogen lamp
- Easy Removable Glass - 3
- Internal removable glass for easy cleaning
- Cooling fan
- Tangential cooling fan
- 2 Wire Shelves



Available Colors : Stainless steel

Energy Rate : A



FN66FTE10TB/2
FULL ELECTRIC OVEN | 60x60cm

- Style : NEXT

Full Touch controls

10 cooking functions

Full electric convection oven

1 convection fan

Oven capacity- 74 lt

Interior with Easy to Clean enamel

Halogen lamps

Easy Removable Glass - 3

Internal removable glass for easy cleaning

Cooling fan

Telescopic Rail
- Touch control:
with delayed start and
duration of cooking

Safety door lock


Soft closing Hinge

2 Wire Shelves
-

Available Colors : Total Black

Energy Rate : A






FN2K66E9TB/2
FULL ELECTRIC OVEN | 60x60cm

- Style : NEXT
- Digital display touch
- 9 cooking functions
- Full electric convection oven
- 1 convection fan
- Oven capacity – 74 lt
- Interior with Easy to Clean enamel
- Halogen lamp
- Easy Removable Glass - 3
- Internal removable glass for easy cleaning
- Cooling fan
- 2 Wire Shelves



Available Colors : Matt Black

Energy Rate : A




FN3K66E5TB/2
FULL ELECTRIC OVEN | 60x60cm

- Style : NEXT
- Mechanical timer
- 5 cooking functions
- Full electric convection oven
- 1 convection fan
- Oven capacity – 64 lt
- Interior with Easy to Clean enamel
- Halogen lamp
- Easy Removable Glass - 3
- Internal removable glass for easy cleaning
- Cooling fan
- 2 Wire Shelves



Available Colors : Matt Black

Energy Rate : A



FN2K36E4X


FULL ELECTRIC OVEN | 60x35cm

- Style : NEXT
- Electric multifunction
- 4 cooking functions
- Full electric convection oven
- 1 convection fan
- Oven capacity – 31 lt
- Interior with Easy to Clean enamel
- Halogen lamp
- Easy removable glass - 3
- Internal removable glass for easy cleaning
- Cooling fan
- Wire Shelves - 1



Available Colors : Stainless steel

Energy Rate : A



FN2K45E5X/2

FULL ELECTRIC OVEN | 45x60cm

- Style : NEXT
- Electric multifunction
- 5 cooking functions
- Full electric convection oven
- 1 convection fan
- Oven capacity – 43 lt
- Interior with Easy to Clean enamel
- Halogen lamp
- Easy removable glass - 2
- Internal removable glass for easy cleaning
- Cooling fan
- Wire Shelves - 2



Available Colors : Stainless steel

Energy Rate : A



“La dedizione è la via per un futuro migliore”

Dedication is the way to a better future



HOB

Modern, traditional or professional, Tecnogas hobs combine design and cooking performance.

HOB | KEY FEATURES



SMART LAYOUT FOR EVERYDAY CONVENIENCE

The burner configuration is designed with practicality in mind, offering generous spacing for multiple pots and pans without crowding. This smart layout improves usability and comfort during cooking, making it easier to manage different dishes at once with confidence and ease.

EASY TO USE INTERFACE

Whether you're preparing a quick meal or hosting a dinner, the accessible design makes every function simple, smooth, and responsive—ideal for both novice cooks and experienced chefs.



SLEEK & TIMELESS DESIGN

Crafted with a minimalist approach, our hobs feature clean lines, premium finishes, and refined detailing that seamlessly integrate into any modern or classic kitchen environment. The elegant surface design not only enhances the overall look of the kitchen but also reflects a commitment to aesthetic excellence.



HOB | OVERVIEW

90CM

INOX



NEXT SERIES | PN90GVF5TGX

Stainless steel

75CM



NEXT SERIES | PN75GVF5TGX

Stainless steel

60CM



NEXT SERIES | PN60GVF4FGX

Stainless steel

90CM

INOX



NEXT SERIES | FNQ9TGX

Stainless steel


Matt Black



NEXT SERIES | FNQ9SGX

Stainless steel

Matt Black



NEXT SERIES | FNQ9TEX

Stainless steel

Matt Black

75CM



NEXT SERIES | FNQ7TGX

Stainless steel

Matt Black



NEXT SERIES | FNQ7TEX

Stainless steel

Matt Black

60CM



NEXT SERIES | FNQ6SGX

Stainless steel

Matt Black



NEXT SERIES | FNQ64EX

Stainless steel


Matt Black

45CM



NEXT SERIES | PN45GVF3LGX



Stainless steel



NEXT SERIES | FNQ32GX

Stainless steel

HOB | NEXT SERIES




PN90GVF5TGX | 90cm

5 BURNERS
1 CENTRAL WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel

Energy Rate : A




FNQ9SGX | 90cm

5 BURNERS
1 LATERAL WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel Matt Black

Energy Rate : A




FNQ9TGX | 90cm

5 BURNERS
1 CENTRAL WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel Matt Black

Energy Rate : A




FNQ9TEX | 90cm

5 BURNERS
1 CENTRAL WOK
ENAMELD GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel Matt Black


Energy Rate : A

HOB | NEXT SERIES



PN75GVF5TGX | 75cm

5 BURNERS
1 CENTRAL WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK




Available Colors : Stainless steel

Energy Rate : A



FNQ7TEX | 75cm

5 BURNERS
1 CENTRAL WOK ENAMELED GRIDS
Color hob: INOX
Color grids: BLACK Color
serigraphy: BLACK




Available Colors : Stainless steel Matt Black

Energy Rate : A



FNQ7TGX | 75cm


5 BURNERS
1 CENTRAL WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK



Available Colors : Stainless steel Matt Black

Energy Rate : A

HOB | NEXT SERIES




PN60GVF4FGX | 60cm

4 BURNERS
1 WOK FRONT LEFT
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel

Energy Rate : A




FNQ64EX | 60cm

4 BURNERS
ENAMELED GRID
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel Matt Black

Energy Rate : A




FNQ6SGX | 60cm

4 BURNERS
1 WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel Matt Black

Energy Rate : A





PN45GVF3LGX | 45cm

3 BURNERS
1 WOK
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel

Energy Rate : A



FNQ32GX | 30cm

2 BURNERS
CAST IRON GRIDS
Color hob: INOX
Color grids: BLACK
Color serigraphy: BLACK

Available Colors : Stainless steel

Energy Rate : A

You only live once

**“Si vive una
volta sola”**

FREE STANDING |
TECHNICAL SHEET &
SPECIFICATIONS

MODEL	TCP112GG6WX
Style	PRO
Colours	X
Deco accents	-
Width (cm) x Depth (cm)	120 x 60
Cooktop gas burners Nr./Type	6 / Defendi
WOK Burner (n --W)	2 / 3900
Number of Aux Burner (n --W)	2 / 1000
Number of Semirapid Burner (n --W)	-
Number of Rapid Burner (n --W)	2 / 3100
Brass burners	•
Pan supports type: Cast iron / Enamelled	✓/-
Electronic one-touch ignition	•
Safety valves	•
Wok ring	-
Simmer ring	-
Max gas power (W)	23400
Electric ceramic zones (n)	-
Hi-light 210 mm (n -- W)	-
Hi-light 180 mm (n -- W)	-
Hi-light 140 mm (n -- W)	-
Hi-light extensible 140/210 mm (n -- W)	-
Hi-light oval 170x265 mm (n -- W)	-
Hi-light oval 145x250 mm (n -- W)	-
Residual heat indicators	-
Cast iron electric griddle / Stainless steel electric griddle	-
Maximum Electric power (W)	60
Glass lid / splashback	-
Ovens (n)	1
4-fan oven	-
Main oven Type	Gas
Electronic touch control multifunction	-
Electric multifunction	-
Gas convection oven with electric grill	-
Gas convection oven with gas grill	-
Gas oven with electric grill	-
Gas oven with gas grill	•
Independent gas grill control	Optional
Auxiliary oven type:	-
Electric conventional with grill	-
Gas oven with electric grill	-
Gas oven with gas grill	-
Energy efficiency class	-
Cavity volume (l)	200
Functions (n)	2
Programmer:	
Analog thermometer	•
Digital Thermometer / food probe	-
Touch control with delayed start and duration of cooking	-
Touch control timer	-
Analog clock	-
Cut-off-timer (120')	-
Minute minder (60') (Available only on 90 cm cooker with single knob)	-
Max oven electrical power (W)	60
Grill electrical power (W)	-
Max cooking temperature (°C)	260°C
Easy Clean (ELT) enamel / Smooth oven interior with easy removable side grids	•
Cooling fan	•
Patented cool door with easy removable glasses / N. glasses (n)	2
Oven lights (n)	2
Roasting spit	•
Convection fans	-
Wire shelves (n)	1
Enamelled tray 30 mm (n)	1
Telescopic rails (n)	-
Catalytic liners	-
Storage compartment	-
Adjustable feet	•
Stainless steel toekick	-
Soft closing hinges	-
Voltage -- Frequency (V -- Hz)	220-240V 50/60Hz
Gas adjustment: Natural gas (G20) / LPG Propane gas (G30)	✓/-

TCP19DE8G5WX	TCP29E10G5WX	TCP19GG5WX	TCP29GG5WX	TCP16DE6G4WX	TCP16MG4WX	TCN112E8G5WGRX	TCN117GG5WX
PRO	PRO	PRO	PRO	PRO	PRO	NEXT	NEXT
X	X	X	X	X	X	X	X
-	-	-	-	-	-	-	-
90 x 60	90 x 60	90 x 60	90 x 60 x	60 x 60	60 x 60	120 x 60	90 x 60
5 / Sabaf HE2	5 / Sabaf HE2	5 / Sabaf HE2	5 / Sabaf HE2	4 / Sabaf HE2	4 / Sabaf HE2	5 / Defendi	5 / Defendi
1 / 3900	1 / 3900	1 / 3900	1 / 3900	1 / 3500	1 / 3500	1 / 4500	1 / 4500
1 / 1000	1 / 1000	1 / 1000	1 / 1000	1 / 1000	1 / 1000	1 / 1000	1 / 1000
2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800
1 / 2900	1 / 2900	1 / 2900	1 / 2900	-	-	1 / 3100	1 / 3100
•	•	•	•	•	•	•	•
✓/-	✓/-	✓/-	✓/-	✓/-	✓/-	✓/-	✓/-
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	-	-
•	•	•	•	•	•	-	-
11400	11400	15400	15400	8100	10450	12200	17000
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	✓/-	-
3200	3200	100	100	2100	1550	5800	80
-	-	-	-	-	-	-	-
1	1	1	1	1	1	2	1
-	-	-	-	-	-	-	•
EL	EL	Gas	Gas	EL	Mixed	EL	Gas
-	-	-	-	-	-	-	-
•	•	-	-	•	-	•	-
-	-	-	-	-	•	-	-
-	-	•	•	-	-	-	•
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	Optional	-	-	-	Optional
-	-	-	-	-	-	EL	-
-	-	-	-	-	-	•	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
A	A	A	A	A	A	-	-
138	138	138	138	72	72	100 / 42	170
8	10	3	3	6	4	8 / 4	3
-	-	-	-	-	•	-	-
-	-	-	-	-	-	•	•
•	-	-	-	•	-	-	-
-	-	•	-	-	-	-	-
-	-	-	-	-	-	-	-
-	•	-	-	-	-	-	-
-	-	-	•	-	-	-	-
3200	3200	100	100	2100	1550	4300	80
1700	1700	-	-	1500	1500	2000	-
250°C	250°C	260°C	260°C	250°C	260°C	250°C	260°C
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
3	3	3	3	3	3	3	3
2	2	2	2	1	1	2 / 1	2
-	-	•	•	-	•	•	•
2	2	2	2	1	1	1	4
2	2	2	2	2	2	2 / 1	2
1	1	1	1	1	1	1	1
1	1	1	1	1	1	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•
-	-	-	-	-	-	-	•
•	•	•	•	•	•	-	-
220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	-240V 50/60Hz	220-240V 50/60Hz
✓/-	✓/-	✓/-	✓/-	✓/-	✓/-	✓/-	✓/-



MODEL	TCN29E10G5WX	TCN29GG5WX	TCN26E6G4WX	TCN26MG4WX
Style	NEXT	NEXT	NEXT	NEXT
Colours	X	X	X	X
Deco accents	-	-	-	-
Width (cm) x Depth (cm)	90 x 60	90 x 60	60 x 60	60 x 60
Cooktop gas burners Nr./Type	5 / Sabaf HE2	5 / Sabaf HE2	4 / Sabaf HE2	4 / Sabaf HE2
WOK Burner (n --W)	1 / 3900	1 / 3900	1 / 3900	1 / 3900
Number of Aux Burner (n --W)	1 / 1000	1 / 1000	1 / 1000	1 / 1000
Number of Semirapid Burner (n --W)	2 / 1800	2 / 1800	2 / 1800	2 / 1800
Number of Rapid Burner (n --VV)	1 / 2900	1 / 2900	-	-
Brass burners	-	-	-	-
Pan supports type: Cast iron / Enamelled	•/-	•/-	•/•	•/•
Electronic one-touch ignition	•	•	•	•
Safety valves	•	•	•	•
Wok ring	•	•	•	•
Simmer ring	•	•	•	•
Max gas power (W)	11400	15400	8100	10450
Electric ceramic zones (n)	-	-	-	-
Hi-light 210 mm (n -- W)	-	-	-	-
Hi-light 180 mm (n -- W)	-	-	-	-
Hi-light 140 mm (n -- W)	-	-	-	-
Hi-light extensible 140/210 mm (n -- W)	-	-	-	-
Hi-light oval 170x265 mm (n -- W)	-	-	-	-
Hi-light oval 145x250 mm (n -- W)	-	-	-	-
Residual heat indicators	-	-	-	-
Cast iron electric griddle / Stainless steel electric griddle	-	-	-	-
Maximum Electric power (W)	3200	100	2100	1550
Glass lid / splashback	-	-	-	-
Ovens (n)	1	1	1	1
4-fan oven	-	-	-	-
Main oven Type	EL	Gas	EL	Mixed
Electronic touch control multifunction	-	-	-	-
Electric multifunction	•	-	•	-
Gas convection oven with electric grill	-	-	-	-
Gas convection oven with gas grill	-	•	-	-
Gas oven with electric grill	-	-	-	•
Gas oven with gas grill	-	-	-	-
Independent gas grill control	-	Optional	-	-
Auxiliary oven type:	-	-	-	-
Electric conventional with grill	-	-	-	-
Gas oven with electric grill	-	-	-	-
Gas oven with gas grill	-	-	-	-
Energy efficiency class	A	A	A	A
Cavity volume (l)	138	138	72	72
Functions (n)	10	3	6	2
Programmer:				
Analog thermometer	-	-	-	-
Digital Thermometer / food probe	-	-	-	-
Touch control with delayed start and duration of cooking	-	-	-	-
Touch control timer	-	-	-	-
Analog clock	-	-	-	-
Cut-off-timer (120')	•	-	•	-
Minute minder (60') (Available only on 90 cm cooker with single knob)	-	•	-	•
Max oven electrical power (W)	3200	100	2100	1550
Grill electrical power (W)	1700	-	1500	1500
Max cooking temperature (°C)	250°C	260°C	250°C	260°C
Easy Clean (ELT) enamel / Smooth oven interior with easy removable side grids	•	•	•	•
Cooling fan	•	•	•	•
Patented cool door with easy removable glasses / N. glasses (n)	3	3	3	3
Oven lights (n)	2	2	1	1
Roasting spit	-	•	-	-
Convection fans	2	2	1	-
Wire shelves (n)	2	2	2	1
Enamelled tray 30 mm (n)	1	1	1	1
Telescopic rails (n)	1	1	1	-
Catalytic liners	-	-	-	-
Storage compartment	-	-	-	-
Adjustable feet	•	•	•	•
Stainless steel toekick	-	-	-	-
Soft closing hinges	•	•	•	•
Voltage -- Frequency (V -- Hz)	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Gas adjustment: Natural gas (G20) / LPG Propane gas (G30)	•/•	•/•	•/•	•/•

TCN26GG4WX	TCD19E95WCB	TCD19E95WCX	TCD19E95WCC
NEXT	DECO	DECO	DECO
X	B	X	C
-	C	C	C
60 x 60	90 x 60	90 x 60	90 x 60
4 / Sabaf HE2	5 / Sabaf HE2	5 Sabaf HE2, Brass	5 Sabaf HE2, Brass
1 / 3900	1 / 3900	1	1
1 / 1000	1 / 1000	1	1
2 / 1800	2 / 1800	2	2
-	1 / 2900	1	1
-	•	•	•
•/•	•/-	•/-	•/-
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
10450	11400	11400	11400
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
60	3200	3200	3200
-	-	-	-
1	1	1	1
-	-	-	-
Gas	EL	EL	EL
-	-	-	-
-	•	•	•
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
•	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
A	A	A	A
72	138	138	138
2	10	10	10
-	•	•	•
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
•	-	-	-
60	3200	3200	3200
-	1700	1700	1700
260°C	250°C	250°c	250°C
•	•	•	•
•	•	•	•
3	3	3	3
1	2	2	2
-	-	-	-
-	2	2	2
1	2	2	2
1	1	1	1
-	1	1	1
-	-	-	-
-	-	-	-
•	•	•	•
-	-	-	-
•	•	•	•
220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
•/•	•/•	•/•	•/•

OVEN |

TECHNICAL SHEET &

SPECIFICATIONS

MODEL	FN2K96E9X	FN2K96G5X	FN3K96E9X
Style	Next	Next	Next
Colours	X	X	X
Deco accents	-	-	-
Width (cm) x Depth (cm)	90 x 60 x 60	90 x 60 x 60	90 x 60 x 60
Electronic one-touch ignition	-	•	-
Safety valves	-	•	-
Max gas power (W)	-	4000	-
Oven Type	EL	Gas	EL
Electronic touch control multifunction oven	-	-	-
Electric multifunction oven	•	-	•
Gas convection oven with electric grill	-	-	-
Gas convection oven with gas grill	-	•	-
Gas oven with electric grill	-	-	-
Gas oven with gas grill	-	-	-
Energy efficiency class*	A	A	A
Cavity volume (l)	125	125	125
Functions (n)	9	3	9
Programmer:			
Analog thermometer	-	-	-
Touch control with delayed start and duration of cooking	•	-	•
Touch control timer	-	•	-
Analog clock	-	-	-
Analog out-of-timer (120')	-	-	-
Minute minder (60')	-	-	-
Max oven electrical power (W)	2450	120	2450
Grill electrical power (W)	2250	-	2250
Max cooking temperature (°C)	250°C	260°C	250°C
Easy Clean (ELT) enamel / Smooth oven interior with easy removable side grids	•	•	•
Cooling fan	•	•	•
Patented cool door with easy removable glasses / N. glasses (n)	2	2	2
Oven lights (n)	2	2	2
Roasting spit	-	•	-
Convection fans	2	2	2
Wire shelves (n)	2	2	2
Telescopic rails (n)	-	-	-
Enamelled tray 30 mm (n)	1	1	1
Catalytic liners	-	-	-
Safety valves	-	•	-
Pyrolitic self cleaning	-	-	-
Cooking sensor	-	-	-
Safety door lock	-	-	-
Soft closing hinges	-	-	-
Voltage -- Frequency (V -- Hz)	220-240V 50/60Hz	220-240V 50/60H	220-240V 50/60Hz
Gas adjustment: Natural gas (G20) / LPG Propane gas (G30)	-	•/•	-

FN3K96G5X	FN2K66E9X/2	FN3K66E5X/2	FN66FTE10TB/2	FN2K66E9TB/2	FN3K66E5TB/2	FN2K36E4X	FN2K45E5X/2
Next	Next	Next	Next	Next	Next	Next	Next
X	X	X	B	B	B	X	B
-	-	-	-	-	-	-	-
90 x 60 x 60	60 x 60 x 60	60 x 60 x 60	60 x 60 x 60	60 x 60 x 60	60 x 60 x 60	60 x 36 x 60	45 x 60 x 60
•	-	-	-	-	-	-	-
•	-	-	-	-	-	-	-
4000	-	-	-	-	-	-	-
Gas	EL	EL	EL	EL	EL	EL	EL
-	-	-	•	-	-	-	-
-	•	•	-	•	•	•	•
-	-	-	-	-	-	-	-
•	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
A	A	A	A	A	A	A	A
125	74	64	74	74	64	31	43
3	9	5	10	9	5	4	5
-	-	-	-	-	-	-	-
-	•	-	•	•	-	•	•
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
•	-	•	-	-	•	-	-
-	-	-	-	-	-	-	-
120	2200	2000	3400	2200	2000	2200	2200
-						1800	
260°C	250°C	250°C	250°C	250°C	250°C	250°C	250°C
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
2	3	3	3	3	3	3	2
2	1	1	2	1	1	1	1
•	-	-	-	-	-	-	-
2	1	1	1	1	1	1	1
2	2	2	2	2	2	1	2
-	-	-	•	-	-	-	-
1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-
•	•	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	•	-	-	-	-
-	-	-	•	-	-	-	-
220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
•/•	-	-	-	-	-	-	-

HOB |
TECHNICAL SHEET &
SPECIFICATIONS

MODEL	PN90GVF5TGX	PN75GVF5TGX	PN60GVF4FGX	FNQ9TGX
Style	NEXT	NEXT	NEXT	NEXT
Colours	X	X	X	X
Deco accents	-	-	-	-
Width (cm)	90 x 60	75 x 60	60 x 60	90 x 60
Cooktop style	Slim s/steel	Slim s/steel	Slim s/steel	Q-Flat s/steel
Cooktop gas burners Nr./Type	5 / Sabaf HE2	5 / Sabaf HE2	4 / Sabaf HE2	5 / Sabaf HE2
WOK Burner (n --W)	1 / 3800	1 / 3800	1 / 3300	1 / 3800
Number of Aux Burner (n --V)	1 / 1050	1 / 1050	1 / 1050	1 / 1050
Number of Semirapid Burner (n --V)	1 / 1800	2 / 1800	2 / 1800	2 / 1800
Number of Rapid Burner (n --V)	1 / 3000	1 / 3000	-	1 / 3000
WOK Burner/Position	1/Central	1/Central	1/Front left	1/Central
Brass burners	-	-	-	-
Front controls	•	•	•	•
Pan supports type: Cast iron / Enamelled	✓/-	✓/-	✓/-	✓/-
Electronic one-touch ignition	•	•	•	•
Safety valves	•	•	•	•
Max gas power (W)	11450	11450	7950	11450
Voltage -- Frequency (V -- Hz)	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Gas adjustment: Natural gas (G20) / LPG Propane gas (G30)	✓/•	✓/•	✓/•	✓/•

FNQ9SGX	FNQ9TEX	FNQ7TGX	FNQ7TEX	FNQ6SGX	FNQ64EX	PN45GVF3LGX	FNQ32GX
NEXT	NEXT	NEXT	NEXT	NEXT	NEXT	NEXT	NEXT
X	X	X	X	X	X	X	X
-	-	-	-	-	-	-	-
90 x 60	90 x 60	75 x 60	75x60	60 x 60	60 x 60	45 x 60	30 x 60
Q-Flat s/steel	Q-Flat s/steel	Q-Flat s/steel	Q-Flat s/steel	Q-Flat s/steel	Q-Flat s/steel	S.Line s/steel	Q-Flat s/steel
5 / Sabaf HE2	5 / Sabaf HE2	5 / Sabaf HE2	5 / Sabaf HE2	4 / Sabaf HE2	4 / Sabaf HE2	3 / Sabaf HE2	2 / Sabaf HE2
1 / 3800	1 / 3800	1 / 3800	1 / 3800	1 / 3300	-	1 / 3800	-
1 / 1050	1 / 1050	1 / 1050	1 / 1050	1 / 1050	1 / 1050	1 / 1050	1 / 1050
2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800	2 / 1800	-
1 / 3000	1 / 3000	1 / 3000	1 / 3000	-	1 / 3000	-	1 / 3000
Left	1/Central	1/Central	1/Central	1/Front left	-	1/Right	-
-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•
✓/-	-/•	✓/-	-/•	✓/-	-/•	✓/-	✓/-
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
11450	11450	11450	11450	7950	7650	6650	4050
220-240V/50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
✓/•	✓/•	✓/•	✓/•	✓/•	✓/•	✓/•	✓/•